

11. References

- Allen, P. and Allen, J. (1990). Basin Analysis - Principles and Applications, Blackwell, 451pp.
- Anderson, R.G. and Greig, C.J. (1989). Jurassic and Tertiary plutonism in the Queen Charlotte Islands, British Columbia. *In* Current Research, Part H, Geological Survey of Canada, Paper 89-1H, p. 95-104.
- Anderson, R.G. and Reichenbach, I. (1989). A note on the geochronometry of Late Jurassic and Tertiary plutonism in the Queen Charlotte Islands, British Columbia. *In* Current Research, Part H, Geological Survey of Canada, Paper 89-1H, p. 105-112.
- Atwater, T., and Stock, J. M. (1998). Pacific-North America Plate Tectonics of the Neogene Southwestern United States: An Update, *International Geol. Review*, v. 40, p. 375-402.
- Barker, C. E. (2000). A paleolatitude approach to assessing surface temperature history for use in burial heating models, *International Journal of Coal Geology*, v. 43, p. 121-135.
- Barrie, J.V. (1988). Surficial geology of Hecate Strait, British Columbia continental shelf. Geological Survey of Canada, Open File 1682.
- Beck, A. (1977). Climatically perturbed temperature gradients and their effect on regional and continental heat flow means, *Tectonophysics*, v. 41, p. 17-39.
- Beicip-Franlab (1989). Genex - Single Well (User Guide), Beicip-Franlab, 464pp.
- Bustin, R. M. (1997). Petroleum source rocks, organic maturation and thermal history of the Queen Charlotte Basin, British Columbia. *Bulletin of Canadian Petroleum Geology*, v. 45(3), p. 255-278.
- Bustin, R.M. and Mastalerz, M. (1995). Organic petrology and geochemistry of organic-rich rocks of the Late Triassic and Early Jurassic Sandilands and Ghost Creek Formations, Queen Charlotte Islands, British Columbia. *Marine and Petroleum Geology*, v. 12, p. 70-81.
- Cameron, B.E.B. and Tipper, H.W. (1985): Jurassic stratigraphy of the Queen Charlotte Islands, Queen Charlotte Islands, British Columbia. Geological Survey of Canada. *Bulletin*, 365, 49pp.
- Cameron, B.E.B. and Hamilton, T.S. (1988). Contributions to the stratigraphy and tectonics of the Queen Charlotte Basin, British Columbia. *In* Current Research, Part E, Geological Survey of Canada, Paper 88-1E, p. 221-227.

- Cant, D.J. (1984). Subsurface facies analysis. In . Facies Models, 2nd edition, R.G. Walker (ed.), Geological Association of Canada, p. 297-310.
- Carbotte, S., Dixon, J. M., Farrar, E., Davis, E. E. and Riddihough, R. (1980). Geological and geophysical characteristics of the Tuzo Wilson Seamounts: Implications for plate geometry in the vicinity of the Pacific-North America-Explorer triple junction, Canadian Journal of Earth Sciences, v. 26, p. 2365-2384.
- Champigny, N., Henderson, C.M., and Rouse, G.E. (1981). New evidence for the age of the Skonun Formation, Queen Charlotte Islands, British Columbia. Canadian Journal of Earth Sciences, v. 18, p. 1900-1903.
- Clague, J.J., Mathewes, R.W. and Warner, R.G. (1982). Late Quaternary geology of eastern Graham Island, Queen Charlotte Islands, British Columbia. Canadian Journal of Earth Sciences, v. 19, p. 1786-1795.
- Dehler, S.A., Keen, C.E. and Rohr, K.M.M. (1997). Tectonic and thermal evolution of Queen Charlotte Basin: lithospheric deformation and subsidence models. Basin Research, v. 9, p. 243-261.
- Dietrich, J. R., Higgs, R., Rohr, K. M. and White, J. M. (1993). The Tertiary Queen Charlotte Basin: a strike-slip basin on the western Canadian continental margin. In: Tectonic Controls and Signatures in Sedimentary Successions, L. Frostick and R. Steel (ed.). Special Publication Number 20, International Association of Sedimentologists, p. 161-169.
- Dietrich, J. R. (1995). Petroleum resource potential of the Queen Charlotte Basin and environs, west coast Canada. Bulletin of Canadian Petroleum Geology, v. 43(1), p. 20-34.
- Engebretson, D.C., Cox, A., and Thompson, G.A. (1984). Correlation of plate motions with continental tectonics – Laramide to Basin and Range. Tectonics, v. 3, p. 115-119.
- Engebretson, D.C., Cox, A., and Gordon, R.G. (1985). Relative plate motions between oceanic and continental plates in the Pacific basin. Special Paper of the Geological Society of America, v. 206, 59 p.
- Espitalité, J. (1986). Use of T_{max} as a maturation index for different types of organic matter. Comparison with vitrinite reflectance. In: Thermal modeling in sedimentary basins. (edited by J. Burrus), vol. 44. Ed. Technip, 475-496.
- Espitalité, J., Irwin, I. and Marqui, F. (1988). Primary cracking of kerogens. Experimenting and modelling C1, C2-C5, C6-C15 and C15+ classes of hydrocarbons formed. In: Advances in Organic Geochemistry (edited by L. Matavelli & L. Novelli), vol. 13, p. 893-899.

- Evans, R. and Felbeck, G. (1983). High temperature simulation of petroleum formation - I. The pyrolysis of Green River shale, *Organic Geochemistry*, v. 4: p. 135-144.
- Fogarassy, J.A.S., and Barnes, W.C. (1991). Stratigraphy and diagenesis of the Middle to Upper Cretaceous Queen Charlotte Group, Queen Charlotte Islands, British Columbia. In: *Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia*. G.J. Woodsworth (ed.). Geological Survey of Canada, Paper 90-10, p. 279-294.
- Forbes, P., Ungerer, P., Kuhfuss, A., Riis, F. and Eggen, S. (1991). Compositional modelling of petroleum generation and expulsion. Trial application to a local mass balance in the Smorbukk Sor field, Haltenbank area, Norway, *AAPG Bulletin*, v. 75, p. 873-893.
- Fowler, M.G., Snowdon, L.R., Brooks, P.W., and Hamilton, T.S. (1988). Biomarker characterization and hydrous pyrolysis of bitumen from Tertiary volcanics, Queen Charlotte Islands, British Columbia. *Organic Geochemistry*, v. 13, p. 715-725.
- Galloway, W.E. (1974). Deposition and diagenetic alteration of sandstone in northeast Pacific arc-related basins: implications for greywacke genesis. *Geological Society of America Bulletin*, v. 85, p. 379-390.
- Frakes, L. C., Francis, J. E., and Syktus J. L. (1992). *Climate modes of the Phanerozoic*, Cambridge Univ. Press, 274pp.
- Haggart, J.W. (1991). A synthesis of Cretaceous stratigraphy, Queen Charlotte Islands, British Columbia. In: *Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia*. G.J. Woodsworth (ed.). Geological Survey of Canada, Paper 90-10, p. 253-277.
- Hamilton, T. S., and Cameron, B.E.B. (1989). Hydrocarbon occurrences on the Western Margin of the Queen Charlotte Basin. *Bulletin of Canadian Petroleum Geology*, v. 37(4), p. 443-466.
- Hamilton, T. S., and Dostal, J. (2001). Melting of heterogeneous mantle in a slab window environment: examples from the Middle Tertiary Masset basalts, Queen Charlotte Islands, British Columbia. *Canadian Journal of Earth Sciences*, v. 38, p. 825-839
- Hannigan, P. K., Dietrich, J.R., Lee, P.J. and Osadetz, K.G. (1998). *Petroleum Resource Potential of Sedimentary Basins on the Pacific Margin of Canada*. Geological Survey of Canada Open File 3629: 85 pp.

Hannigan, P. K., Dietrich, J.R., Lee, P.J. and Osadetz, K.G. (2001). Petroleum Resource Potential of Sedimentary Basins on the Pacific Margin of Canada. Geological Survey of Canada Bulletin 564, 74 pp.

Hermanrud, C. (1993). Basin modelling techniques - an overview. In: Basin Modelling: Advances and Applications (edited by A. Dore), 3. Norwegian Petroleum Society, p. 1-34.

Hickson, C. J. (1992). The Masset formation on Graham Island, Queen Charlotte Islands, British Columbia. In: Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia. G.J. Woodsworth (ed.). Geological Survey of Canada, Paper 90-10, p. 305-324.

Higgs, R. (1989a). Sedimentology and implications for hydrocarbon exploration of the “Hippa beds”, Queen Charlotte Islands, British Columbia. In Current Research, Part H, Geological Survey of Canada, Paper 89-1H, p. 53-58.

Higgs, R. (1989b). Sedimentological aspects of the Skonun Formation, Queen Charlotte Islands, British Columbia. In Current Research, Part H, Geological Survey of Canada, Paper 89-1H, p. 87-94.

Higgs, R. (1991). Sedimentology, basin-fill architecture and petroleum geology of the Tertiary Queen Charlotte Basin, British Columbia. In: Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia. G.J. Woodsworth (ed.). Geological Survey of Canada, Paper 90-10, p. 337-371.

Hopkins, W.S., Jr. (1975). Palynological study of Shell Anglo Harlequin D-86 well, offshore British Columbia. Geological Survey of Canada, Open File 268, 9 pp.

Hopkins, W.S., Jr. (1981). Palynology of four offshore British Columbia wells. Geological Survey of Canada, Open File 809, 83 pp.

Hyndman, R. D. and Ellis, R. M. (1983). Queen Charlotte fault zone: microearthquakes from a temporary array of land stations and ocean bottom seismographs, Canadian Journal of Earth Sciences, v. 18, p. 776-788.

Hyndman, R.D. and Hamilton, T.S. (1991). Cenozoic relative plate motions along the northeastern Pacific Margin and their association with Queen Charlotte area tectonics and volcanism. In Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia, Geological Survey of Canada, Paper 90-10, p. 107-126.

Hyndman, R. D., and Hamilton, T. S. (1993). Queen Charlotte area Cenozoic tectonics and volcanism and their Association with relative plate motions along the northeastern Pacific margin. Journal of Geophysical Research, v. 98, p. 14.257-14.277.

- Hyndman, R.D., Yorath, C.J., Clowes, R.M., and Davis, E.E. (1990). The northern Cascadia subduction zone at Vancouver Island: seismic structure and tectonic history. *Canadian Journal of Earth Sciences*, v. 27, p. 313-329.
- Keen, C. (1985). The dynamics of rifting: Deformation of the lithosphere by active and passive driving forces. *Geoph. J. R. astr. Soc.*, v. 80, p. 95-120.
- Keen, C.E. and Hyndman, R.D. (1979). Geophysical review of the continental margins of eastern and western Canada. *Canadian Journal of Earth Sciences*, v. 16, p. 712-747.
- Lewis, T.J., Bentowski, W.H., and Wright, J.A. (1991a). Thermal state of the Queen Charlotte Basin, British Columbia: warm. In *Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia*, Geological Survey of Canada, Paper 90-10, p. 489-506.
- Lewis, P. D., Haggart, J.W., Anderson, R.G., Hickson, C.J., Thompson, R.I, Dietrich, J.R., and Rohr, K.M.M. (1991b). Triassic to Neogene geologic evolution of the Queen Charlotte region. *Canadian Journal of Earth Sciences*, v. 28, p. 854-869.
- Lister, G., Etheridge, M. and Symonds, P. (1991). Detachment models for the formation of passive continental margins, *Tectonics*, v. 10, p. 246-250.
- Lyatsky, H. V., and Haggart, J.W. (1993). Petroleum exploration model for the Queen Charlotte Basin area, offshore British Columbia. *Canadian Journal of Earth Sciences*, v. 30, p. 918-927.
- Macauley, G. (1983). Source Rock - Oil Shale Potential of the Jurassic Kunga Formation, Queen Charlotte Islands. Geological Survey of Canada Open File 921: 52 pp.
- MacKenzie, J.D. (1916). Geology of Graham Island, British Columbia. Geological Survey of Canada, Memoir 88.
- McKenzie, D. (1978). Some Remarks on the Development of Sedimentary Basins. *Earth and Planetary Science Letters*, v. 40, p. 25-32.
- McKenzie, D., Watts, A., Parsons, B. and Roufousse, M. (1980). Planform of mantle convection beneath the Pacific Ocean, *Nature*, v. 288, p. 442-446.
- Mazotti, S., Hyndman, R. D., Fluck, P., Smith, A.J. and M. Schmidt (2003) Distribution of The Pacific-North America motion in The Queen Charlotte Islands - S. Alaska plate boundary zone. *Geophysical Research Letters*, v. 30.
- Morgan, P. (1985). Crustal radiogenic heat production and the selective survival of ancient continental crust. *Journal of Geophysical Research*, v. 90, p. 561-570.

- Martin, H.A., and Rouse, G.E. (1966). Palynology of Late Tertiary sediments from Queen Charlotte Islands, British Columbia. *Canadian Journal of Botany*, v. 44, p. 171-208.
- Norton, I., (1995). Plate motions in the north Pacific: The 43 Ma nonevent, *Tectonics*, v. 14, p. 1080-1094.
- Orchard, M.J. and Forster, P.J.L. (1992). Conodont colour and thermal maturity of the Late Triassic Kunka Group, Queen Charlotte Islands, British Columbia. *In Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia*, G.J. Woodsworth (ed.), Geological Survey of Canada, Paper 90-10, p. 453-464.
- Parsons, B. and Sclater, J. (1977). An analysis of the variation of ocean floor bathymetry and heat flow with age, *Journal of Geophysical Research*, v. 82, p. 803-827.
- Patterson, R.T. (1989a). Neogene foraminiferal biostratigraphy of the southern Queen Charlotte Basin. *In Contributions to Canadian Paleontology*, Geological Survey of Canada, Bulletin 396, p. 229-265.
- Patterson, R. T. (1989b). Early Miocene to Quaternary foraminifera from three wells in the southern Queen Charlotte Basin, Geological Survey of Canada, Open File 1985, 15 pp.
- Pedersen, T. (1993): Heat flow in rift basins above a hot asthenosphere. *Terra Nova*, v. 5, p. 144-149.
- Prothero, D.R. and Berggren, W.A. (1992). Eocene-Oligocene climatic and biotic evolution. Princeton University Press, New Jersey, 568 pp.
- Riddihough, R., Currie, R.R. and Hyndman, R.D. (1980). The Dellwood knolls and their role in triple junction tectonics of northern Vancouver Island, *Canadian Journal of Earth Sciences*, v. 17, p. 577-593.
- Rohr K. M. M. and Dietrich, J. (1990). Deep seismic survey of Queen Charlotte Basin, Geological Survey of Canada Open File Report 2258.
- Rohr, K.M.M., and Dietrich, J.R. (1991). Deep seismic reflection survey of the Queen Charlotte Basin, British Columbia. *In Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia*, Geological Survey of Canada, Paper 90-10, p. 127-133.
- Rohr, K.M.M. and Dietrich, J.R. (1992). Strike-slip tectonics and development of the Tertiary Queen Charlotte Basin, offshore western Canada: evidence from seismic reflection data. *Basin Research*, v. 4, p. 1-19.

- Rohr, K. M. M. and Furlong, K.P. (1995). Ephemeral plate tectonics at the Queen Charlotte triple junction, *Geology*, v. 23, p. 1035-1038.
- Rohr, K. M. M. and L. Currie, (1997). Queen Charlotte Basin and Coast Mountains: Paired belts of subsidence and uplift caused by a low-angle normal fault, *Geology*, v. 25, p. 819-822.
- Rohr, K. M. M., Scheidhauer, M., and Trehu, M. (2000). Transpression between two warm mafic plates: The Queen Charlotte Fault revisited. *Journal of Geophysical Research*, v. 105, p 8,147-8,172.
- Rohr, K. M. M and Sutherland C. (2002). A reconnaissance AVO study of Queen Charlotte Basin, Coasts under Stress Report, Centre for Earth and Ocean Science Report: 2002-2.
- Royden, L. (1986). A simple method for analyzing subsidence and heat flow in extensional basins. In: *Thermal modeling in sedimentary basins*. (Ed. J. Burrus), v. 44, Ed. Technip., p. 49-73.
- Royden, L. and Keen, C. (1980): Rifting process and thermal evolution of the continental margin of eastern Canada determined from subsidence curves. *Earth and Planetary Science Letters*, v. 51, p. 343-361.
- Savin, S. (1977). The history of the Earth's surface temperature during the past 100 million years, *Ann. Rev. Earth Planet Sci.*, v. 5, p. 419-355.
- Schuemann, T.K. (2002). The hydrocarbon potential of the deep offshore along the Argentine volcanic rifted margin, Ph.D. thesis, University of Aachen.
- Sclater, J. and Christie, P. (1980a). Continental stretching: explanation of post-Mid-Cretaceous subsidence of central North Sea basin. *AAPG Bulletin*, v. 64: p. 781-782.
- Sclater, J. and Christie, P. (1980b). Continental stretching: explanation of the post-Mid-Cretaceous subsidence of the central North Sea basin. *Journal of Geophysical Research*, v. 86, p. 3711-3739.
- Shell Canada Ltd. (1968a). Well history report, Shell Anglo Tyee N-39; Canada Department of Energy, Mines and Resources, Open File.
- Shell Canada Ltd. (1968b). Well history report, Shell Anglo Sockeye B-10; Canada Department of Energy, Mines and Resources, Open File.
- Shell Canada Ltd. (1968c). Well history report, Shell Anglo Sockeye E-66; Canada Department of Energy, Mines and Resources, Open File.

- Shell Canada Ltd. (1968d). Well history report, Shell Anglo Auklet G-41; Canada Department of Energy, Mines and Resources, Open File.
- Shell Canada Ltd. (1968e). Well history report, Shell Anglo Osprey D-36; Canada Department of Energy, Mines and Resources, Open File.
- Shell Canada Ltd. (1968f). Well history report, Shell Anglo Harlequin D-86; Canada Department of Energy, Mines and Resources, Open File.
- Shell Canada Ltd. (1969a). Well history report, Shell Anglo South Coho I-74; Canada Department of Energy, Mines and Resources, Open File.
- Shell Canada Ltd. (1969b). Well history report, Shell Anglo Murrelet L-15; Canada Department of Energy, Mines and Resources, Open File.
- Shouldice, D.H. (1971). Geology of the western Canadian continental shelf. *Bulletin of Canadian Petroleum Geology*, v. 19, p. 405-436.
- Shouldice, D.H. (1973). Western Canadian continental shelf. *In* Future Petroleum Provinces of Canada, R.G. McCrossan (ed.), Canadian Society of Petroleum Geologists, Memoir 1, p. 7-53.
- Snowdon, L.R. (2002). Geochemical course notes, personal communication.
- Snowdon, L.R., Fowler, M.G., and Hamilton, T.S. (1988). Sources and seeps: organic geochemical results from the Queen Charlotte Islands. *In*: Some Aspects of the Petroleum Geology of the Queen Charlotte Islands. Canadian Society of Petroleum Geologists, Field Trip Guide, p. 37-43.
- Snowdon, L.R., Fowler, K.G., Osadetz, K.G., and Obermajer, M. (2002). Organic geochemical sources and shows in the Queen Charlotte Basin and adjacent areas of the pacific margin of Canada. Geological Survey of Canada Open File 4367.
- Steckler, M. and Watts, A. (1978). Subsidence of the Atlantic-type continental margin of New York. *Earth and Planetary Science Letters*, v. 41: p. 1-13.
- Stock, J.M. and Molnar, P. (1988). Uncertainties and implications of the Late Cretaceous and Tertiary position of North America relative to the Farallon, Kula, and Pacific Plates. *Tectonics*, v. 6, p. 1339-1384.
- Sutherland Brown, A. (1968). Geology of the Queen Charlotte Islands, British Columbia. British Columbia Department of Energy, Mines and Petroleum Resources, Bulletin 54, 226 pp.

- Sweeney, J. J. and Burnham, A. K. (1990). Evaluation of a simple model of vitrinite reflectance based on chemical kinetics, AAPG Bulletin, v. 74, p. 1559-1570.
- Thompson, R.I., Haggart, J.W., and Lewis, P.D. (1991). Late Triassic through early Tertiary evolution of the Queen Charlotte Basin, British Columbia. In: Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia. G.J. Woodsworth (ed.). Geological Survey of Canada, Paper 90-10, p. 3-29.
- Tissot, B.P., and Welte, D.H. (1978). Petroleum formation and occurrence: a new approach to oil and gas exploration, Springer, 538pp.
- Tissot, B.P., and Welte, D.H. (1984). Petroleum formation and occurrence, Springer, 699pp.
- Ungerer, P. and Pelet, R. (1987). Extrapolation of the kinetics of oil and gas formation from laboratory experiments to sedimentary basins. Nature, v. 327, p. 52-54.
- Ungerer, J., Behar, F., Villalba, M., Heum, O. and Audibert, A. (1988). kinetic modelling of oil cracking. In: Advances in Organic Geochemistry (edited by L. Matavelli & L. Novelli), vol. 13, p. 857-868.
- Ungerer, P., Burrus, J., Doligez, B., Chenet, P. and Bessis, F. (1990). Basin evaluation by integrated two-dimensional modeling of heat transfer, fluid flow, hydrocarbon generation, and migration. AAPG Bulletin, v. 74, p. 309-335.
- Vellutini, D., and Bustin, R.M. (1990). Organic maturation of Mesozoic and Tertiary strata, Queen Charlotte Islands, British Columbia. Bulletin of Canadian Petroleum Geology, v. 36, p. 452-474.
- Vellutini, D., and Bustin, R.M. (1991a). Source rock potential of Mesozoic and Tertiary strata of the Queen Charlotte Islands. In Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia, G.J. Woodsworth (ed.), Geological Survey of Canada, Paper 90-10, p. 381-409.
- Vellutini, D., and Bustin, R.M. (1991b). Organic maturation and source rock potential of Mesozoic and Tertiary strata of the Queen Charlotte Islands, British Columbia. In Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia, G.J. Woodsworth (ed.), Geological Survey of Canada, Paper 90-10, p. 411-451.
- Welte, D.H., and Yüklér, M.A. (1981). Petroleum origin and accumulation in basin evolution - a quantitative mode,. AAPG Bulletin, v. 65, p. 1387-1396.
- Wernicke, B. (1985). Uniform-sense normal simple shear of the continental lithosphere, Canadian Journal of Earth Sciences, v. 22, p. 108-125.

- White, J.M. (1990). Evidence of Paleogene sedimentation on Graham Island, Queen Charlotte Islands, west coast, Canada. *Canadian Journal of Earth Sciences*, v. 27, p. 533-538.
- White, J.M. (1991). Palynostratigraphy of Tow Hill No. 1 well in the Skonun formation, Queen Charlotte Basin, British Columbia. *In Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia*, G.J. Woodsworth (ed.), Geological Survey of Canada, Paper 90-10, p. 373-380.
- White, J. M., Marincovich, L.J., and Higgs, R., (1994). New Miocene fossil discoveries in the Skonun formation, Queen Charlotte Islands, British Columbia, and implications for basin stratigraphy and climate; Geological Survey of Canada, Bulletin 479, p. 85-101.
- Woodsworth, G.J. (1988). Karmutsen formation and the east boundary of Wrangellia, Queen Charlotte Basin, British Columbia. *In: Current Research Part E*, Geological Survey of Canada, Paper 88-1E, p. 209-212.
- Woodsworth, G. J. (1991). Neogene to Recent volcanism along the east side of Hecate Strait, British Columbia. *In Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia*, G.J. Woodsworth (ed.), Geological Survey of Canada, Paper 90-10, p. 325-335.
- Wright, N.J.R. (1980). Time, temperature and organic maturation – the evolution of rank within a sedimentary pile. *Journal of Petroleum Geology*, v. 2, p. 411-425.
- Wygrala, B. (1989). Integrated study of an oil field in the southern Po basin, northern Italy. Ph.D. thesis, University of Koeln.
- Yalcin, M., Littke, R. and Sachsenhofer, R. (1997). Petroleum and Basin Evolution, chap. Thermal History of Sedimentary Basins. Springer, p. 71-167.
- Yorath, C.J. and Hyndman, R.D. (1983). Subsidence and thermal history of Queen Charlotte Basin, *Canadian Journal of Earth Sciences*, v. 20, p. 135-159.
- Yorath, C.J. and Chase, R.L. (1981). Tectonic history of the Queen Charlotte Islands and adjacent areas – a model. *Canadian Journal of Earth Sciences*, v. 18, p. 1717-1739.
- Young, I.F. (1981). Structure of the western margin of the Queen Charlotte Basin, British Columbia. M.Sc. thesis, University of British Columbia, 380 pp.